

```

*****
MP ACCESS IS NOT SECURE
Default MP users are currently configured and remote access is enabled.
Modify default users passwords or delete default users (see UC command)
OR
Disable all types of remote access (see SA command)
*****
*****
Your Certificate is expired.
Use the SO command to generate a new certificate.
*****

```

MP MAIN MENU:

- CO: Console
- VFP: Virtual Front Panel
- CM: Command Menu
- CL: Console Log
- SL: Show Event Logs
- CSP: Connect to Service Processor
- SE: Enter OS Session
- HE: Main Help Menu
- X: Exit Connection

[mp001635b613d0] MP> co

(Use Ctrl-B to return to MP main menu.)

```

- - - - - Prior Console Output - - - - -
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !

```

- - - - - Live Console - - - - -



Firmware Version 45.44

Duplex Console IO Dependent Code (IODC) revision 1

(c) Copyright 1995-2004, Hewlett-Packard Company, All rights reserved

Processor Number	Speed	State	CoProcessor State	Cache Size Inst	Cache Size Data
0	800 MHz	Active	Functional	67108864	67108
1	800 MHz	Stopped:Deconfigured	Unknown	0	0

Central Bus Speed (in MHz) : 200
Available Memory : 1048576 KB
Good Memory Required : Not initialized. Defaults to 32 MB.

Primary boot path: 0/1/1/0.0
Alternate boot path: 0/0/2/0.3
Console path: 0/7/1/1.0
Keyboard path: 0/0/4/0.0

Processor is booting from the first available device.

To discontinue, press any key within 10 seconds.

10 seconds expired.

Proceeding...

Trying Primary Boot Path

Booting...

Boot IO Dependent Code (IODC) revision 1

HARD Booted.

ISL Revision A.00.43 Apr 12, 2000

ISL booting hpux

Boot
: disk(0/1/1/0.0.0.0.0.0.0.0;0)/stand/vmunix
11243520 + 2289664 + 1653512 start 0x1fed68

alloc_pdc_pages: Relocating PDC from 0xffffffff0f0c00000 to 0x3f700000.
gate64: sysvec_vaddr = 0xc0002000 for 2 pages
NOTICE: autofs_link(): File system was registered at index 3.
NOTICE: cachefs_link(): File system was registered at index 4.
NOTICE: nfs3_link(): File system was registered at index 5.
igelan0: INITIALIZING HP PCI 1000Base-T Core at hardware path 0/1/2/0

System Console is on the Built-In Serial Interface

Entering cifs_init...

Initialization finished successfully... slot is 9

Logical volume 64, 0x3 configured as ROOT

Logical volume 64, 0x2 configured as SWAP

Logical volume 64, 0x2 configured as DUMP

Swap device table: (start & size given in 512-byte blocks)

entry 0 - major is 64, minor is 0x2; start = 0, size = 4194304

Starting the STREAMS daemons-phase 1

Checking root file system.

log replay in progress

replay complete - marking super-block as CLEAN

Root check done.

Create STCP device files

\$Revision: vmunix: vw: -proj selectors: CUP180_BL2000_1108 -c 'Vw
for CUP180_BL2000_1108 build' -- cupi80_bl2000_1108 'CUP180_BL2000_1108' Wed N
ov 8 19:24:56 PST 2000 \$

Memory Information:

physical page size = 4096 bytes, logical page size = 4096 bytes

Physical: 1046528 Kbytes, lockable: 737312 Kbytes, available: 856156 Kbytes

/sbin/iointrc:

/dev/vg00/lvol1: 63 files, 0 icont, 7780 used, 29586 free (122 frags, 3683 block
s)

insf: Installing special files for ipmi instance 0 address 16

/sbin/krs_sysinit:

/sbin/bcheckrc:

Checking for LVM volume groups and Activating (if any exist)

Volume group "/dev/vg00" has been successfully changed.

Activated volume group

Volume group "/dev/vg01" has been successfully changed.

Resynchronized volume group /dev/vg00

Resynchronized volume group /dev/vg01

vxfs fsck: sanity check: root file system OK (mounted read/write)

Checking hfs file systems

/sbin/fsclean: /dev/vg00/lvol1 (mounted) ok

HFS file systems are OK, not running fsck

```
checking vxfs file systems
/dev/vg00/lvol8 :
vxfs fsck: sanity check: /dev/vg00/lvol8 needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg01/test :
vxfs fsck: sanity check: /dev/vg01/test needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg01/rcc :
vxfs fsck: sanity check: /dev/vg01/rcc needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg00/lvol3 :
vxfs fsck: sanity check: root file system OK (mounted read/write)
/dev/vg00/lvol4 :
vxfs fsck: sanity check: /dev/vg00/lvol4 needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg00/lvol5 :
vxfs fsck: sanity check: /dev/vg00/lvol5 needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg00/lvol6 :
vxfs fsck: sanity check: /dev/vg00/lvol6 needs checking
log replay in progress
replay complete - marking super-block as CLEAN
/dev/vg00/lvol7 :
vxfs fsck: sanity check: /dev/vg00/lvol7 needs checking
log replay in progress
replay complete - marking super-block as CLEAN
```

Cleaning /etc/ptmp...

(c)Copyright 1983-2000 Hewlett-Packard Co., All Rights Reserved.
(c)Copyright 1979, 1980, 1983, 1985-1993 The Regents of the Univ. of California
(c)Copyright 1980, 1984, 1986 Novell, Inc.
(c)Copyright 1986-1992 Sun Microsystems, Inc.
(c)Copyright 1985, 1986, 1988 Massachusetts Institute of Technology
(c)Copyright 1989-1993 The Open Software Foundation, Inc.
(c)Copyright 1986 Digital Equipment Corp.
(c)Copyright 1990 Motorola, Inc.
(c)Copyright 1990, 1991, 1992 Cornell University
(c)Copyright 1989-1991 The University of Maryland
(c)Copyright 1988 Carnegie Mellon University
(c)Copyright 1991-2000 Mentat Inc.
(c)Copyright 1996 Morning Star Technologies, Inc.
(c)Copyright 1996 Progressive Systems, Inc.
(c)Copyright 1991-2000 Isogon Corporation, All Rights Reserved.

RESTRICTED RIGHTS LEGEND

Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in sub-paragraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause in DFARS 252.227-7013.

Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304 U.S.A.

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

/sbin/auto_parms: DHCP access is disabled (see /etc/auto_parms.log)

msgcnt 2 vxfs: msg 001: vx_nospace - /dev/root file system full (1 block extent)
msgcnt 1 vxfs: msg 001: vx_nospace - /dev/root file system full (1 block extent)

i
HP-UX Start-up in progress

Configure system crash dumps OK

```

VxVM device node check ..... OK
VxVM general startup ..... OK
VxVM reconfiguration recovery ..... OK
Mount file systems ..... OK
Update kernel and loadable modules ..... N/A
Initialize loadable modules ..... OK
Setting hostname ..... OK
Start Kernel Logging facility ..... N/A
Set privilege group ..... N/A
Display date ..... N/A
Copy processor logs to /var/tombstones ..... OK
Save system crash dump if needed ..... N/A
Start evp ..... OK
Enable auxiliary swap space ..... OK
Start syncer daemon ..... OK
Configure Loopback interfaces (lo0) ..... OK
VxVM volume recovery start ..... OK
Configuring all unconfigured software filesets ..... OK
Recover editor crash files ..... OK
Clean UUCP ..... OK
List and/or clear temporary files ..... OK
Clean up old log files ..... OK
Start system message logging daemon ..... OK
Start pty allocator daemon ..... OK
Configuring OLA/R interface ..... N/A
Start network tracing and logging daemon ..... OK
Configure HP igelan Gigabit Ethernet interfaces ..... OK
Configure HP iether Gigabit Ethernet interfaces ..... OK
Configure HP Gigabit Ethernet interfaces ..... OK
Configure HP Ethernet interfaces ..... OK
Create PCI FDDI device files. .... OK
Configure HP 100BASE-T interfaces ..... N/A
Configure VLAN interfaces ..... OK
Configure LAN interfaces ..... OK
Start name server daemon ..... N/A
Starting HP-UX Secure Shell ..... OK
Start NFS core subsystem ..... OK
Start NIS+ server subsystem ..... OK
Start NIS+ client subsystem ..... OK
Start NIS server subsystem ..... OK
Start ldap client daemon ..... N/A
Start NIS/LDAP server subsystem ..... N/A
Start NIS client subsystem ..... OK
Start NFS client subsystem ..... OK
Start the Trusted Mode with NIS+ subsystem ..... N/A
Configure pseudo devices for MAC/LLA access ..... OK
Start multicast routing daemon ..... N/A
Start Internet services daemon ..... OK
Start dynamic routing daemon ..... N/A
Start router discover protocol daemon ..... N/A
Configuring PPP Interface ..... OK
Start RARP protocol daemon ..... N/A
Start remote system status daemon ..... N/A
Configuring man pages for Internet Services ..... OK
Starting mail daemon ..... OK
Starting outbound connection daemons for DDFA software ..... N/A
Start SNMP Master Network Management daemon ..... OK
Start OSPF MIB Network Management subAgent ..... N/A
Start SNMP HP-UNIX Network Management subAgent ..... OK
Start SNMP MIB-2 Network Management subAgent ..... OK
Start SNMP Trap Dest Network Management subAgent ..... OK
Start DCE daemons ..... N/A
Start SNMP PCI FDDI Network Management subAgent ..... OK
Start RPC daemon if needed ..... OK
Start CIM cimserver subsystem ..... OK
Start Isogon License Server Daemon ..... N/A
Initialize Instant Capacity ..... N/A
Starting ISEE hpsservices mad daemon. .... N/A
Start Runner ..... OK
Start remote boot daemon ..... OK
Starting X Font Server at TCP port 7000 ..... N/A
Start vt daemon ..... OK
Starting UDCserver ..... N/A
Start time synchronization ..... N/A

```

```
Start accounting ..... N/A
Install/Load XF86 DLKM Helper Modules ..... OK
Starting the password/group assist subsystem ..... OK
Starting HP Disk Array Manager daemons. .... OK
Starting disk array monitor daemons. .... OK
Start print spooler ..... N/A
Starting HP Distributed Print Service ..... OK
Start clock daemon ..... OK
Start diagnostic subsystem ..... OK
Start environment monitoring daemon ..... OK
Start auditing subsystem ..... OK
Start audio server daemon ..... file
```

```
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
N/A
```

```
Start Distributed Single Logical Screen daemon ..... N/A
Start USB hub daemon ..... OK
SAM System administration configuration ..... OK
Starting ObAM Application Server ..... N/A
Initialize Software Distributor agent daemon ..... file
```

```
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
OK
```

```
Starting the gWLM Agent ..... N/A
Starting CIFS Client ..... N/A
Configure HP RAID SA interfaces ..... N/A
Copy processor logs to /var/tombstones ..... OK
Starting Event Monitoring Service ..... OK
Start EMS SNMP subagent ..... OK
Configure HP Fibre Channel Mass Storage interfaces ..... OK
Configure HP Internal RAID interfaces ..... file
```

```
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
N/A
```

```
Configuring Ultra320 SCSI Mass Storage interfaces ..... OK
Starting the Winbind Daemon ..... N/A
Starting the RST EMS listener ..... N/A
Configure HP Fibre Channel Tachyon TL/TS Mass Storage interfaces .... OK
Configuring HP Fibre Channel FCD Mass Storage interfaces ..... file
```

```
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
```

Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !



MP MAIN MENU:

- CO: Console**
- VFP: Virtual Front Panel
- CM: Command Menu
- CL: Console Log
- SL: Show Event Logs
- CSP: Connect to Service Processor
- SE: Enter OS Session
- HE: Main Help Menu
- X: Exit Connection

[mp001635b613d0] MP> **co**

(Use Ctrl-B to return to MP main menu.)

- - - - - Prior Console Output - - - - -
OK
Start NFS server subsystem OK
Start X print server(s) N/A
Starting HP-UX Apache-based Web Server file
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
- - - - - **Live Console** - - - - -
N/A
Starting HP-UX Tomcat-based Servlet Engine N/A

```
Starting HP-UX Webmin based Admin ..... N/A
Starting the HPUX Webproxy subsystem ..... N/A
Starting HP-UX XML Web Server Tools ..... OK
Starting the System Management HomePage server ..... OK
Start CDE login server ..... file
```

```
system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
```

```
OK
Starting PRNGD (Pseudo Random Number Generator Daemon) ..... OK
```

```
The system is ready.
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
```

```
GenericSysName [HP Release B.11.11] (see /etc/issue)
Console Login: file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
file system of audit file has 0% free space left !
an attempt to switch to the backup file failed.
Must specify a backup file now !
current audit file size is 102967 kilobytes!!!
an attempt to switch to the backup file failed.
Must specify a backup file now !
```

MP MAIN MENU:

- CO: Console
- VFP: Virtual Front Panel
- CM: Command Menu
- CL: Console Log
- SL: Show Event Logs

CSP: Connect to Service Processor
SE: Enter OS Session
HE: Main Help Menu
X: Exit Connection