

Versions of HP-UX 11i supported on HP Integrity and HP 9000 servers

HP-UX 11i versions covered: All versions currently supported

This document expires 90 days from its last update.

Please find the latest at www.hp.com/go/hpuxservermatrix

This is NOT an authoritative document. Please check with your HP or HP partner representative.

Contents and specifically all future dates are subject to change without notice.

HP is in no way obligated to provide support until the dates listed in this document.

HP-UX 11i version and date information (Note: Integrity servers are not supported on HP-UX 11.0 and 11i version 1)

HP-UX 11i version	HP-UX 11i v1 (B.11.11) HP 9000 only	HP-UX 11i v1.6 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and HP Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
HP-UX 11i update (fusion) releases	June 2001, Sept 2001, Dec 2001, March 2002, June 2002, Sept 2002, Dec 2002, March 2003, June 2003, Sept 2003, Dec 2003, June 2004, Dec 2004, Sept 2005, Dec 2006	N/A	September 2004, May 2005, December 2005, March 2006, June 2006, September 2006, June 2007, December 2007, June 2008	September 2007, March 2008, September 2008, March 2009, September 2009
HP-UX 11i introduction date (1st release in version)	01-Dec-00	29-Jun-02	01-Sep-03	20-Feb-07
HP-UX 11i ship date (1st release in version)	01-Dec-00	29-Sep-02	29-Sep-03	20-Feb-07
HP-UX 11i obsolescence date (Last dated software offered for sale)	31-Dec-09	30-Apr-04	31-Dec-10	31-Dec-12
End of factory support - Product engineering no longer available from the HP factory, but limited support may be offered for an additional duration for the version	31-Dec-13	Technology release: customers transitioned to 11.23	31-Dec-13	31-Dec-17

For older HP-UX releases and a summary chart, please see below:

HP-UX release lifecycle dates

Most recent update: 5/14/09

Public Name	Lab Name	Release Date	Off CPL (Discontinuance)	End of Support (Obsolescence)
HP-UX 10.20 (HP 9000)	10.20	Aug 1996	June 2002	June 2003
HP-UX 11.00 (HP 9000 only)	11.0	Nov 1997	Mar 2004	Dec 2006
HP-UX 11i v1 (HP 9000 only)	11.11	Dec 2000	Dec 2009	Dec 2013
HP-UX 11i v2 (HP 9000 & Integrity)	11.23	Oct 2003 (Oct 2004 for HP 9000)	Dec 2010	Dec 2013
HP-UX 11i v3 (HP 9000 & Integrity)	11.31	Feb 2007	2012	2017

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
BL60p	AD000A AD106A	Itanium	Itanium 2 (1.6 GHz w/ 3 MB L3 cache and 200 MHz FSB)/ Mad9M/ zx1	7-Nov-05	31-Dec-07	31-Dec-12	TBD	No	Yes	No
BL860c	AD323A AD217A AD217B AD323B	Itanium	Montecito Montvale	15-Feb-07	30-Jun-11	30-Jun-16	TBD	No	Yes	Yes
BL870c	AH232A	Itanium	Montvale	22-Jan-08	30-Jun-11	30-Jun-16	TBD	No	Yes	Yes
cx2600 Telecom	AB216A	Itanium - Mad6M	Itanium 2 (1.3 GHz w/ 3 MB integrated level 3 cache)	5-Jan-04	1-Nov-06	1-Aug-12	TBD	Yes	Yes	Yes
cx2620 Telecom	AB402A	Itanium - Mad6M	1.4GHz/12MB	1-Oct-06	1-Sep-09	1-Aug-12	TBD			
rx1600	AB218A	Itanium - Madison		1-Feb-04	1-Oct-05	31-Dec-14	TBD	No	Yes	Yes
	AB219A			1-Feb-04	1-Oct-05					
	A9901A			1-Feb-04	1-Oct-05					
	AB310A			1-Feb-04	1-May-05					

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx1620	AB430A AB431A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB. Also (1.6/3/533)/Madison 9M	1-Nov-04	AB430A: 1-Apr-07 AB431A: 1-Oct-07	31-Dec-14	TBD	No	Yes	Yes
rx1620 2X rx1620 1X Bundle Solutions	AB568A AB569A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB	1-Nov-04	1-Feb-06	31-Dec-14	TBD	No	Yes	Yes
rx2600	AB323A	Itanium	1.0 GHz w/1.5 MB cache	24-Nov-03	1-May-05	31-Dec-14	TBD	Yes	Yes	Yes
	AB329A			24-Nov-03						
	A6870B			14-Apr-03						
	AB209A			16-Jun-03						
	AB324A			24-Nov-03						
	A6873B			14-Apr-03						
	AB210A			16-Jun-03						

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/processor specifics	Introduction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx2620	AB333A	Itanium - Mad9M and Montecito	1.3GHz/3M	1-Nov-04	1-Oct-07	31-Dec-14	TBD	No	Yes	Yes
	AB331A		1.6GHz/6M	20-Dec-04	1-Apr-07					
	AB332A		1.6GHz/3M	1-Nov-04	1-Oct-07					
rx2620 Bundle Solutions	AB356A	Itanium - Mad9M and Montecito	1.6Ghz	1-Nov-04	1-Feb-06	31-Dec-14	TBD	No	Yes	Yes
	AB393A		1.3/3M							
	AB357A		1.3/3							
	AB394A		1.3/3							
	AB386A		1.6/3							
	AB387A		1.6/6							
	AD152A		1.4GHz/12	1-Jul-06	1-Oct-07	31-Dec-14	TBD			
	AD153A		1.6GHz/18							
rx2660	AB419A AD245A	Itanium	Montecito Montvale	15-Feb-07 28-Nov-07	31-Dec-11	31-Dec-16	TBD	No	Yes	Yes
rx3600	AB463A AB596A	Itanium	Montecito Montvale	9/1/2006 11/28/07	31-Dec-11	31-Dec-16	TBD	No	Yes	Yes
rx4610	A6153A	Itanium - Merced	733 MHz	28-Nov-07	1-Aug-02	NA	31-Dec-07	Yes	Yes	No
	A6447A		800 MHz							

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Intro- duction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx4640 bundles Base FAST One FAST Two FAST One FAST Four mx2 FAST	A6961A	Itanium - Mad9M	1.3/3	1-Sep-03	1-Jul-04	31-Dec-14	TBD	Yes	Yes	Yes
	A6962A		1.5/6							
	AB370A			1-Apr-04	1-Sep-05					
	AB370B			1-Nov-04	1-Oct-07					
	AB530A		1.6/4	1-Nov-04	1-Feb-06					
	AB531A		1.5/4	1-Nov-04	1-Feb-06					
	AB532A		1.6/6	1-Nov-04	1-Feb-06					
	AB533A		1.6/9	1-Nov-04	22-Apr-06					
	AB373A		mx2	1-Apr-04	16-Jan-06					
rx5670	A6837A	Itanium - McKinley Madison	900MHz	9-Jun-02	1-Nov-03	31-Dec-13	TBD	Yes	Yes	Yes
	A6837B		1.3 Ghz	14-Apr-03	1-Feb-05					
	A6838A		1.0 GHz	9-Jun-02	23-Jun-03					
	A6838B		1.5 Ghz	14-Apr-03	1-Feb-05					
rx6600	AB464A AD132A AD133A AD134A	Itanium	Montecito Montvale	1-Sep-06 28-Nov-07	1/1/2011 12/31/2011	1/1/2016 12/31/2016	TBD	No	Yes	Yes

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Intro- duction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx7620 Server Solution	A7027A	Itanium - Mad6M Mad9M mx2 sx1000 chipset	1.1GHz mx2 1.5GHz/4MB 1.6GHz/6MB							
2-way FAST	AB201A			15-Sep-03	1-Apr-07					
4-way FAST	AB202A			15-Sep-03	1-Apr-07					
6-way FAST	AB203A			15-Sep-03	1-Apr-07	1-Apr-12	TBD	Yes	Yes	Yes
8-way FAST	AB204A			15-Sep-03	1-Apr-07					
12-way FAST	AB343A			1-May-04	1-Jan-07					
16-way FAST	AB344A			1-May-04	1-Jan-07					

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Intro- duction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx7640 Server Solution		Itanium - Mad 9M Montecito Montvale sx2000 chipset	Mad 9M 1.6 GHz w/ 6 MB L3 cache Montecito 1.4GHz/12MB cache Montecito 1.6GHz/18MB cache Montvale 1.6GHz/24MB cache Montvale 1.6GHz/18MB cache	1-Mar-06 1-Nov-07 (Montvale)		Montecito-based 1-Mar-2013 Montvale-based 31-Mar-2017	TBD	No	Yes	Yes
	AB312A				31-Mar-12					
2-core FAST	AD064A				1-Aug-07					
4-core FAST	AB447A				31-Mar-12					
6-core FAST	AD242A				1-Aug-07					
8-core FAST	AB448A				31-Mar-12					
12-core FAST	AB449A				1-Jan-11					
16-core FAST	AB450A				31-Mar-12					

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Intro- duction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx8620 Server solution	A7026A	Itanium	1.1 GHz, 1.3, 1.5 GHz w/ 4 MB cache, 1.6/6 Madison	15-Sep-03	1-Apr-07	1-Apr-12	TBD	Yes	Yes	Yes
2-core FAST	AB236A			15-Sep-03	1-Apr-07					
4-core FAST	AB237A			15-Sep-03	1-Apr-07					
8-core FAST	AB238A			15-Sep-03	1-Apr-07					
12-core FAST	AB239A			15-Sep-03	1-Apr-07					
16-core FAST	AB240A			15-Sep-03	1-Apr-07					
24-core FAST	AB341A			1-May-04	1-Jan-07					
32-core FAST	AB342A			1-May-04	1-Jan-07					

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

Integrity server lifecycle dates and HP-UX 11i support by version
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity server support and HP-UX 11i support by version and server model -

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Intro- duction date	Obsolescence date (Last date server available for sale)	At this time, support is expected to continue at least until	Final End of Support Life (EOSL) - or - End of Contract Availability (ECA)	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx8640 Base system solution 2-core FAST 4-core FAST 8-core FAST 16-core FAST 24-core FAST 32-core FAST	AB297A	Itanium	Mad9M (1.6 GHz w/ 6 MB L3 cache) with sx2000 chipset, Montecito 1.4GHz/12, 1.6GHz/18, 1.6GHz/24 Montvale 1.4GHz/12, 1.6GHz/18, 1.6GHz/24	1-Mar-06 1-Nov-07 (Montvale)	31-Mar-12	31-Mar-17	TBD	No	Yes	Yes
	AD065A				1-Aug-07	30-Apr-13				
	AB442A				31-Mar-12	31-Mar-17				
	AB443A				31-Mar-12	31-Mar-17				
	AB444A				31-Mar-12	31-Mar-17				
	AB445A				31-Mar-12	31-Mar-17				
	AB446A				31-Mar-12	31-Mar-17				
	rx9610 Server solution Base				A6754A	Itanium - Merced				
A6755A										

Find the latest version of this support matrix at www.hp.com/go/hpuxservermatrix

HP Integrity Superdome Server lifecycle dates and HP-UX 11i version support
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity Superdome - both HP 9000 and Integrity Superdome systems are covered under solution product **A5200A**
 This section presents HP Integrity Superdome Servers (with Intel Itanium microprocessors)

HP Integrity Superdome Server specifics with introduction and obsolescence dates. (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴
All Superdome models run HP-UX 11i v2 B.11.23 and v3. No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.												
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
A6113A	16 processors	1-Aug-00	sx1000 - Pinnacles	A6866A - sx1000 Pinnacles cell board	1-May-03	1-Apr-09	Mad9M 1.6 Ghz/6MB cache	AD003A	1-Dec-04	1-Apr-08	1-Apr-13	TBD
A5201A	32 processors						Mad6M 1.5Ghz	A6924A	1-May-03	1-Apr-06	1-Apr-11	
A5202A	64 processors						mx2 - 1 proc	AB522A	1-Dec-04	1-Jan-07	1-Jan-12	
							mx2 - 2 proc	A6868A	1-Dec-03	1-Apr-06	30-Dec-11	

HP Integrity Superdome Server lifecycle dates and HP-UX 11i version support
 Most recent revision to this section: November 20, 2009. Please see the revision history at the end of this document.

HP Integrity Superdome Server specifics with introduction and obsolescence dates. (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴
All Superdome models run HP-UX 11i v2 B.11.23 and v3. No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.											At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board Intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
A9833A	16 processors	1-Feb-06	sx2000 - Arches	A9837A - sx2000 Arches cell board	1-Feb-06	1-Jan-11	Mad9M 1.6 Ghz/6MB cache	AD003A	1-Dec-04	1-Apr-08	1-Apr-13	TBD
A9834A	32 processors						Montecito 1.6 Ghz/18 MB cache	AB406A	1-Aug-06	1-Apr-09	1-Apr-14	
A9835A	64 processors						Montecito 1.6Ghz/24 MB cache	A9840A	1-Aug-06	1-Apr-09	1-Apr-14	
							Montvale 1.6GHz/18MB cache	AD371A	1-Nov-07	31-Mar-12	31-Mar-17	
							Montvale 1.6GHz/24MB cache	AD374A	1-Nov-07	31-Mar-12	31-Mar-17	

HP 9000 (HP PA-RISC-based) systems and HP-UX 11i version support (See also the HP 9000 Superdome section)

This is NOT an authoritative document.

This document expires 90 days from its last update.

Contents and specifically all future dates are subject to change without notice.

HP is in no way obligated to provide support until the dates listed in this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 ^{1, 2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
A180	A5182A	PA-7300LC	1-Oct-98	1-Aug-01	NA	31-Jul-08	32-bit	32	No	No	No
A180C	A5183A	PA-7300LC	1-Oct-98	1-Aug-01	NA	30-Apr-07	32-bit	32	No	No	No
A400 (renamed rp2400 on 1-March-2002)	A6109A	PA-8500 PA-8600	1-Jun-00	1-Jan-01	NA	30-Sep-06	64	64	No	64	No
	A6109B		1-Nov-00	4-Nov-02	NA	31-Oct-07					
A500 (see rp2450)											
D200	A3262A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	N/A	32	No	No	No
D210	A3331A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	N/A	32	No	No	No
D220	A3572A	PA-7300LC	1-Dec-96	1-Jun-00	NA	31-Dec-07	32	32	No	No	No
D230	A3574A	PA-7300LC	1-Dec-96	1-Jun-00	NA	31-Dec-07	32	32	No	No	No
D250	A3332A A3333A A3343A	PA-7200	1-Nov-95	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D260	A3474A	PA-7200	1-May-96	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D270	A3473A A3558A	PA-8000	1-Oct-96	1-Jun-00	31-Dec-11	TBD	32	32 and 64	No	No	No
D280	A3573A A3575A	PA-8000	1-Aug-97	1-Jun-00	31-Dec-11	TBD	32	32 and 64	No	No	No

HP-UX 11i support for HP 9000 systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 ^{1, 2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
D310	A3268A	PA-7100LC	1-Nov-95	1-Feb-98	NA	31-Dec-07	32	32	No	No	No
D320	A3576A	PA-7300LC	1-Dec-96	1-Sep-01	NA	31-Dec-07	32	32	No	No	No
D330	A3578A	PA-7300LC	1-Dec-96	1-Sep-01	NA	31-Dec-07	32	32	No	No	No
D350	A3334A A3335A	PA-7200	1-Nov-95	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D360	A3476A	PA-7200	1-May-96	1-Feb-98	31-Dec-11	TBD	32	32	No	No	No
D370	A3560A A3562A	PA-8000	1-Oct-96	1-Jun-00	31-Dec-11	TBD	32 and 64	32 and 64	No	No	No
D380	A3577A A3579A	PA-8000	1-Aug-97	1-Nov-00	31-Dec-11	TBD	32 and 64	32 and 64	No	No	No
D390	A4903A A4904A	PA-8200	1-Jul-98	1-Sep-01	31-Dec-11	TBD	N/A	32 and 64	No	No	No
Kx00		PA-7200	1-Mar-95	1-Dec-96	NA	30-Jun-06	32	32	No	No	No
Kx10		PA-7200	1-Sep-95	1-Dec-97	NA	30-Jun-06	32	32	No	No	No
Kx20		PA-7200	1-Mar-96	1-Sep-99	31-Dec-13	TBD	32	32	No	No	No
K260	A3205A	PA-8000	1-Jul-96	1-Sep-98	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No
K360/K460	A5140A	PA-8000	1-Jun-98	1-Jun-00	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No
	A3284A		1-Jul-96								
K250/K450	A3463A A3464A	PA-8000	1-Jul-96	1-Apr-98	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No
K370 K570	A3663B	PA-8200	1-Jun-98	1-Nov-00	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No
	A3641A		1-May-97								
K380 K580	A4869B	PA-8200	1-Jun-98	1-Sep-01	31-Dec-13	TBD	32 and 64	32 and 64	No	No	No
	A4837A		1-Feb-98								

HP-UX 11i support for HP 9000 systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.				
							A date in this column indicates NO service extensions beyond the posted date are possible. ⁴				
							11.0 ^{1, 2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
L1000 (renamed rp5400 on Nov. 1, 2001)	A5576A	PA-8500 PA-8600	1-Oct-99	1-May-02	31-Dec-12	TBD	64	64	N/A	see rx5400	No
	A5576B		1-Dec-00								
L1500 (renamed rp5430 on Nov. 1, 2001)	A6797B	PA-8600	1-Nov-01	5-Sep-05	31-Dec-13	TBD	64	64	N/A	see rx5430	No
L2000 (renamed rp5450 on Nov. 1, 2001)	A5191A	PA-8500 PA-8600	1-Oct-99	1-May-02	31-Dec-12	TBD	64	64	N/A	see rx5450	No
	A5191B		1-Dec-00								
L3000 (renamed rp5470 on Nov. 1, 2001)	A6144A	PA-8600	1-Nov-00	1-Jan-02	30-Sep-07	TBD	64	64	N/A	see rx5470	No
	A6144B		1-Nov-01	5-Sep-05	31-Dec-13						
N4000	A3639A	PA-8500	1-Apr-99	1-Jul-00	31-Dec-12	TBD	64	64	N/A	64	No
	A3639B		1-Mar-00	1-Nov-01							
R380	A5176A	PA-8000/ PA-8200	1-Oct-98	1-Nov-00	31-Dec-11	TBD	N/A	32 and 64	N/A	N/A	No
	A5177A		1-Oct-98	1-Nov-00							
R390	A5178A, A5179A	PA8000/ PA8200	1-Oct-98	1-Sep-01	31-Dec-11	TBD	N/A	32 and 64	N/A	N/A	No
rp2405	A7121A, A7122A	PA-8700 650 Mhz	1-Sep-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No
rp2430	A6889A	PA-8700	1-Mar-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No
rp2450	A5570A	PA-8600	1-May-00	1-Jan-01	NA	30-Sep-06	64	64	No	64	No
	A5570B		1-Sep-00	13-Oct-03	31-Dec-13	TBD					
rp2470	A6890A	PA-8700	1-Mar-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No
rp3410	A7136B	PA-8800	12-Jul-04	1-Jan-06	31-Dec-14	TBD	N/A	64	N/A	64	Yes
	A9954A	PA-8900	1-May-05	1-Jan-09							

HP-UX 11i support for HP 9000 systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 ^{1,2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
rp3440	A7137A	PA-8800	1-Feb-04	1-Jan-09	31-Dec-14	TBD	N/A	64	N/A	64	Yes
	A9948A		PA-8900	19-Jul-04							
	A9949A	1-May-05		1-Jan-09							
	A9952A										
	A9953A										
rp4410	A9955A A9956A	PA-8900	1-May-05	1-Jan-09	31-Dec-14	TBD	N/A	64	N/A	64	Yes
rp4440	A7124A	PA-8800 PA-8900	24-Nov-03	1-Aug-04	31-Dec-14	TBD	N/A	64	N/A	64	Yes
	A7134A		1-Feb-04								
	A7124B		14-Jun-04	1-Jan-06							
	A7134B										
	A9950A		1-May-05	1-Jan-09							
	A9951A										
HP server rp5400 (formerly L1000)	A5576B	PA-8500 PA-8600	1-Dec-00	1-May-02	31-Dec-12	TBD	64	64	N/A	64	No
rp5405	A7117A A7118A A9805A	PA-8700 650 Mhz	1-Sep-02	1-Feb-05	31-Dec-13	TBD	64	64	N/A	64	No
			1-Mar-03								
rp5430 (formerly L1500)	A6797B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	31-Dec-13	TBD	64	64	N/A	64	No
rp5450 (formerly L2000)	A5191B	PA-8500, PA-8600	1-Dec-00	1-May-02	31-Dec-12	TBD	64	64	N/A	64	No

HP-UX 11i support for HP 9000 systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)					A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴	Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	11.0 ^{1, 2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
rp5470 (formerly L3000)	A6144B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	31-Dec-13	TBD	64	64	N/A	64	No
rp7400	A3639C		1-Sep-01	14-Apr-03	31-Dec-12	TBD	64	64	N/A	64	No
rp7405	A7111A A7112A A7113A	PA-8700 650 Mhz	1-Sep-02	1-Jul-04	31-Dec-13	TBD	N/A	64	N/A	64	Yes
rp7410	A6752A	PA-8700	1-Feb-02	1-Feb-05	31-Dec-13	TBD	N/A	64	N/A	64	Yes
rp7420	A7025A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz	PA-8800 1-Feb-04 PA-8900 1-May-05	PA-8800 14-Aug-2006 PA-8900 1-Mar-2008	PA-8800 1-May-2012 PA-8900 1-Dec-2013	TBD	No	Yes	No	64	Yes
	AB205A										
	AB206A										
	AB207A										
	AB208A										
rp8400	A6093A	PA-8700	1-Aug-01	1-Feb-05	31-Dec-13	TBD	N/A	64	N/A	64	Yes
rp8420	A6912A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz	PA-8800 1-Dec-2003 PA-8900 1-May-2005	PA-8800 1-Aug-2006 PA-8900 1-Mar-2008	PA-8800 1-May-2012 PA-8900 1-Dec-2013	TBD	No	64	N/A	64	Yes
	AD006A										
	AD007A	PA-8900 1.1GHz 1.0GHz	1-May-05	1-Mar-08	1-Dec-13	TBD	No	64	N/A	64	Yes
	AD008A										
	AD009A										
	AD010A										

HP-UX 11i support for HP 9000 systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 system specifics with introduction and obsolescence dates. (Last date server offered for sale)							Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date	At this time, support is expected to continue at least until:	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)	A date in this column indicates further service extensions are possible. Any final dates are indicated in next column. A date in this column indicates NO service extensions beyond the posted date are possible. ⁴				
							11.0 ^{1, 2}	HP-UX 11i v1 (B.11.11) ^{2,3} Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) ^{2,3} HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
rp7440	A9959A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	31-Dec-14	TBD	No	Yes	No	64	Yes
	AD026A										
	AD027A										
	AD028A										
	AD029A										
rp8440	A9958A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	31-Dec-14	TBD	No	Yes	No	64	Yes
	AD031A										
	AD032A										
	AD033A										
	AD034A										
	AD035A										
T500	A2339A	PA-7100	1-Oct-93	1-Nov-97	31-Dec-13	TBD	32	32	N/A	N/A	No
T520	A3310A	PA-7150	1-Sep-95	1-Feb-98	31-Dec-13	TBD	32	32	N/A	N/A	No
T600	A3329A	PA-8000	1-Apr-97	1-Aug-99	31-Dec-13	TBD	32 and 64	32 and 64	N/A	N/A	No
V2200	A3726A	PA-8200	1-May-97	1-Sep-99	31-Dec-13	TBD	64	64	N/A	N/A	No
V2250	A5081A	PA-8200	1-Mar-98	1-Jul-00	31-Dec-13	TBD	64	64	N/A	N/A	No
V2500	A5074A	PA-8500	1-Dec-98	1-Jan-01	31-Dec-13	TBD	64	64	N/A	N/A	No
V2600	A5824A	PA-8600	1-Dec-99	1-Dec-01	31-Dec-13	TBD	64	64	N/A	N/A	No
EPS 40		PA-8200/V2200	1-Feb-98	TBD			N/A	N/A	N/A	N/A	No

HP-UX 11i support for HP 9000 Superdome systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 Superdome - both HP 9000 and Integrity Superdome solutions are covered under solution product A5200A

HP 9000 Superdome Server specifics with introduction and obsolescence dates
(Last date server offered for sale)

All models run HP-UX 11i v1 - in 64-bit mode only - , v2 (B.11.23) and v3 (B.11.31).
No model runs HP-UX 11i v2 (B.11.22) or 11.0.

A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.

A date in this column indicates NO service extensions beyond the posted date are possible.⁴

Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
A6113A	16 processors	1-Aug-00	Yosemite	A5206A	1-Aug-06	1-Sep-02	4 x PA-8600 552 Mhz processor	A6161A - Right to Use	1-Aug-00	1-Sep-02	31-Dec-14	TBD
A5201A	32 processors	1-Aug-00		A6445A	1-Aug-01	1-Nov-04	4 x PA-8700 750 Mhz processor	A6441A - Right to Use	1-Aug-01	1-Nov-04		
A5202A	64 processors	1-Aug-00		A6862A	17-Jun-02	1-Apr-06	4 x PA-8700+ 875 Mhz processor	A6885A - Right to Use	17-Jun-02	1-Apr-06		

HP-UX 11i support for HP 9000 Superdome systems

Most recent update to this entire document: November 20, 2009. Please see the revision history at the end of this document.

HP 9000 Superdome Server specifics with introduction and obsolescence dates (Last date server offered for sale)											A date in this column indicates further service extensions are possible. Any final dates are indicated in next column.	A date in this column indicates NO service extensions beyond the posted date are possible. ⁴
All models run HP-UX 11i v1 - in 64-bit mode only - , v2 (B.11.23) and v3 (B.11.31). No model runs HP-UX 11i v2 (B.11.22) or 11.0.												
Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-Cell-board intro	Chipset-Cell-board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date	At this time, support is expected to continue at Least Until	FINAL End of Support Life (EOSL) - or - End of Contract Availability (ECA)
A6113A	16 processors	1-Aug-00	sx2000 Arches	A9837A	1-Feb-06	1-Nov-10	PA-8900	A9853A	1-Feb-07	1-Jan-10	1-Jan-15	TBD
A5201A	32 processors	1-Aug-00										
A5202A	64 processors	1-Aug-00										
A6113A	16 processors	1-Aug-00	sx1000 - Pinnacles	A6866A sx1000 - Pinnacles cell board	1-May-05	1-Apr-09	PA-8800	AB520A	1-Dec-04	1-Dec-06	1-Dec-11	TBD
A5201A	32 processors	1-Aug-00					PA-8900	AB367A	14-Feb-05	1-Apr-09	1-Apr-14	
A5202A	64 processors	1-Aug-00										

HP-UX 11i system support matrix: server lifecycle dates, and what HP-UX 11i versions run on which platform models

This document was last revised November 20, 2009

Document revisions: what changed when

Nov '09	HP 9000	N4000 part #s A3639A/A3639B corrected: HP-UX 11.23 (Version 2) is supported rp3410 and rp3440: support until date extended to Dec. 31, 2014
	Integrity	rx7640, rx8640 obsolescence date now Mar 31, 2012; support-until date Mar 31, 2017
	(Montvale)	Superdome obsolescence date now Sept 30, 2012, support-until date Sept 30, 2017 rx1600, rx1620, rx2620 - extended support until Dec 31, 2014
	HP-UX 11i	Added the September 2009 update release for HP-UX 11i v3
July '09	Integrity	BL860c, BL870c obsolescence now 6/30/2011 with 'support at least until' 6/30/2016
	(Montvale)	rx2660, rx3600, rx6600, rx7640, rx8640 and Superdome obsolescence 12/31/11, support until 12/31/16
May '09	HP-UX 11i	Version 2 last sale date (obsolescence date) extended one year to December 31, 2010
	HP 9000	L1500 A6797B and L3000 A6144B 'support at least until' date extended to 12/31/13
Mar '09	Integrity	rx2600 and rx4640 'support at least until date' extended to 12/31/14
	HP 9000	rp5405, rp5430, and rp5470 'support at least until' date extended to 12/31/13
	HP-UX 11i	HP-UX 11i v1 dates & chart showing versions 10 and 11.0 added, as well as the v3 April '09 fusion release

Notes

TBD means "To be determined"

Yes means "This version of HP-UX 11i supports the designated server".

HP-UX 11i v2 and v3 supports only the 64-bit version of the HP-UX kernel.

NA means "Not applicable"

¹ Since HP-UX 11.0 is the first to support 64 bits, prior versions are 32-bit only.

² 32 and 64 means a 64-bit PA8x00-based system can run either 32- or 64-bit versions of HP-UX 11.x and 32- and 64-bit applications

³ 64 means runs on 64-bit PA8x00 systems only, but can run 32- and 64-bit applications.

⁴ Local support dates may vary. Please contact your local support representative for further information