



Network Setup

Physical Connection



VLAN



Configuration

IT-CSR

```
; J8770A Configuration Editor; Created on release #L.10.23
hostname "ProCurve Switch 4204vl"
module 1 type J8768A
module 2 type J9033A
trunk B17-B18 Trk1 Trunk
trunk B19-B20 Trk2 Trunk
trunk B21-B22 Trk3 Trunk
ip routing
snmp-server community "public" Unrestricted
vlan 1
    name "MGNT-VLAN"
    untagged B23-B24
    ip address 192.168.3.1 255.255.255.0
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    no untagged A1-A24,B1-B16
    exit
vlan 2
    name "SERVER-VLAN"
    untagged A1-A24,B1-B12
    ip address 192.168.0.21 255.255.255.0
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    exit
vlan 3
    name "PRINTER-VLAN"
    ip address 192.168.2.1 255.255.255.0
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    exit
vlan 4
    name "CLIENT-VLAN"
    ip address 192.168.4.1 255.255.255.0
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    exit
vlan 5
    name "VoIP-VLAN"
    untagged B13-B16
    ip address 192.168.60.1 255.255.255.0
    qos priority 7
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    voice
    exit
vlan 6
    name "LOTUVOIPVLAN"
    ip address 192.168.61.1 255.255.255.0
    qos priority 7
    ip helper-address 192.168.0.10
    tagged Trk1-Trk3
    voice
    exit
```

```
ip route 192.168.40.0 255.255.255.0 192.168.0.6
ip route 192.168.10.0 255.255.255.0 192.168.0.6
ip route 192.168.9.0 255.255.255.0 192.168.0.9
ip route 172.16.0.0 255.255.0.0 192.168.0.1
ip route 172.17.0.0 255.255.0.0 192.168.0.1
ip route 0.0.0.0 0.0.0.0 192.168.0.254
spanning-tree
spanning-tree Trk1 priority 4
spanning-tree Trk2 priority 4
spanning-tree Trk3 priority 4
spanning-tree priority 1
ip dns domain-name "suva.noumea.spc.local"
ip dns server-address 192.168.0.10
```

IT-AS1

; J9021A Configuration Editor; Created on release #N.10.02

```
hostname "ProCurve Switch 2810-24G"
```

```
trunk 19-20 Trk1 Trunk
ip default-gateway 192.168.3.1
snmp-server community "public" Unrestricted
vlan 1
    name "MGNT-VLAN"
    untagged 15-17,24
    ip address 192.168.3.2 255.255.255.0
    tagged 18,21-23,Trk1
    no untagged 1-14
    exit
vlan 2
    name "SERVER-VLAN"
    untagged 1-4
    no ip address
    tagged 18,21-23,Trk1
    exit
vlan 3
    name "PRINTER-VLAN"
    untagged 14
    no ip address
    tagged 18,21-23,Trk1
    exit
vlan 4
    name "CLIENT-VLAN"
    untagged 5-13
    no ip address
    tagged 18,21-23,Trk1
    exit
vlan 5
    name "VoIP-VLAN"
    no ip address
    tagged 18,21-23,Trk1
    voice
    exit
vlan 6
    name "LOTUVOIPVLAN"
    tagged 18,21-23,Trk1
    voice
    exit
spanning-tree
spanning-tree Trk1 priority 4
password manager
password operator
```

IT-AS2

; J4903A Configuration Editor; Created on release #I.08.71

```
hostname "HP ProCurve Switch 2824"
interface 19
    no lacp
exit
interface 20
    no lacp
exit

trunk 19-20 Trk1 Trunk
ip default-gateway 192.168.3.1
snmp-server community "public" Unrestricted
vlan 1
    name "MGNT-VLAN"
    ip address 192.168.3.3 255.255.255.0
    tagged 21-24,Trk1
    no untagged 1-18
    exit
vlan 2
    name "SERVER-VLAN"
    tagged 21-24,Trk1
    exit
vlan 3
    name "PRINTER-VLAN"
    untagged 11,15-18
    tagged 21-24,Trk1
    exit
vlan 4
    name "CLIENT-VLAN"
    untagged 1-10,12-14
    tagged 21-24,Trk1
    exit
vlan 5
    name "VoIP-VLAN"
    tagged 21-24,Trk1
    voice
    exit
vlan 6
    name "LOTUVOIPVLAN"
    tagged 21-24,Trk1
    voice
    exit
spanning-tree
spanning-tree Trk1 priority 4
password manager
password operator
```