



# Can't start BIND (VMS:V7.3-2/TCP:V5.4-eco6)

## » IT Resource Center

- » Logout
- » My profile

[Start New Thread >>](#)[Notify Me >>](#)[Reply >>](#)

- » Search knowledge base
- » **Forums**
- » Patch database
- » Download drivers, software and firmware
- » Warranty check
- » Support Case Manager
- » Software Update Manager
- » Training and Education
- » More maintenance and support options

- » Online help
- » Site map

Author

[brian schenkenberger](#)

Subject: Can't start BIND (VMS:V7.3-2/TCP:V5.4-eco6)

Dec 10, 2008 13:28:58 GMT

I've configured a simple set of files for a domain (forward and reverse databases) and ran the configurations script supplied to create the BIND config file. When I start BIND, OPCOM reports:

images installed...

INTERNet ACP Error during process startup, Nolisten Service Disabled - BIND server  
INTERNet ACP AUXS error during process exit Status = %CLI-E-IMAGEFN

I cannot find any appropriate log files to research this problem. Any hints?

Note: If you are the author of this question and wish to assign points to any of the answers, please login first. For more information on assigning points, click [here](#).

## Member icons

- HP moderator
- Expert in this area

## Member status

- ITRC Pro  
250 points
- ITRC Graduate  
500 points
- ITRC Wizard  
1000 points
- ITRC Royalty  
2500 points
- ITRC Pharaoh  
7500 points
- Olympian  
20000 points
- 1-Star Olympian  
40000 points
- 2-Star Olympian  
80000 points

[» How to earn points](#)

- [Support forums](#)
- [FAQs](#)

## Question status

- Magical answer*  
Message with a response that solved the author's question

## Favorites status

- Add to my favorites
- Delete from my favorites
- Thread closed

**Sort Answers By: Date or [Points](#)**[Steven Schweda](#)

Dec 10, 2008 13:53:33 GMT Unassigned

Around here,  
TCPIP SHOW SERVICE /FULL BIND  
suggests looking at  
SYS\$SPECIFIC:[TCPIP\$BIND]TCPIP\$BIND\_RUN.LOG  
which seems to:  
run 'f\$edit("sys\$system:tcpip\$bind\_server.exe", "upcase")'

I have one of those:

Directory SYS\$COMMON:[SYSEXE]

TCPIP\$BIND\_SERVER.EXE;1  
4300 2-OCT-2007 19:13:33.28 (RWED,RWED,RE,RE)

alp \$ tcpip show version

HP TCP/IP Services for OpenVMS Alpha Version V5.4 - ECO 7  
on a COMPAQ Professional Workstation XP1000 running OpenVMS V7.3-2

[Steven Schweda](#)

Dec 10, 2008 13:55:27 GMT Unassigned

> SYS\$SPECIFIC:[TCPIP\$BIND]TCPIP\$BIND\_RUN.LOG

Oops/Duh. I meant:

TCPIP\$SYSTEM:TCPIP\$BIND\_RUN.COM

[brian schenkenberger](#)

Dec 10, 2008 13:57:50 GMT N/A: Question Author

I get no run .LOG. Does your log file indicate what file is running to create this? where is the 'run' command?

[brian schenkenberger](#)

Dec 10, 2008 14:10:58 GMT N/A: Question Author

Nevermind.... I figured it out:

\$ PIPE TCPIP ENABLE SERVICE BIND ; TCPIP SHOW SERVICE BIND/FULL

Showed UCX definitions. I would have thought that running TCPIP\$CONFIG would have corrected this but thei is TCPIP Services, I should know better.

All's well that ends well...

[Steven Schweda](#)

Dec 10, 2008 14:12:58 GMT Unassigned

&gt; [...] where is the 'run' command?

You were supposed to read the output from TCPIP SHOW SERVICE /FULL BIND more carefully than I did. (At least more carefully than I did when I was doing that copy+paste operation.)

[Jan van den Ende](#)

Dec 10, 2008 14:16:18 GMT Unassigned

Brian,

from your Forum Profile:

<quote>  
I have assigned points to 0 of 35 responses to my questions.  
</quote>  
... dating all the way back to 2004.

Maybe you can find some time to do some assigning?

<http://forums1.itrc.hp.com/service/forums/helptips.do?#33>

Mind, I do NOT say you necessarily need to give lots of points. It is fully up to YOU to decide how many. If you consider an answer is not deserving any points, you can also assign 0 (= zero ) points, and then that answer will no longer be counted as unassigned. Consider, that every poster took at least the trouble of posting for you!

To easily find your streams with unassigned points, click your own name somewhere.

This will bring up your profile.

Near the bottom of that page, under the caption "My Question(s)" you will find "questions or topics with unassigned points " Clicking that will give all, and only, your questions that still have unassigned postings.

Thanks on behalf of your Forum colleagues.

PS. nothing personal in this. I try to post it to everyone with this kind of assignment ratio in this forum. If you have received a posting like this before please do not take offence none is intended!

PPS. Zero points for THIS entry, please.

Proost.

Have one on me.

jpe

[brian schenkenberger](#)

Dec 10, 2008 15:29:22 GMT N/A: Question Author

Why can't you reply to individual posts?

Anyway, Steven, the problem was that the BIND was immediately disabled after starting it. Therefore, there is little information available. When I used the PIPE it started the service and nearly immediately queried it before it was disabled. That's how I found the problem. It must have been enabled at some time in the past and the BIND definition was still using the UCX\$BIND directory and image.

```

"; Tokens[C] = txt.substring(l, intNewLine) ; if (l ==0) // ie. The post start with a URL :- JAGaf82656 { pretextToken = ""; } txt =
txt.substring(intNewLine); l = intNewLine; intNewLine = txt.toUpperCase().indexOf(""); txt= txt.substring(0,intNewLine) + "" +
txt.substring(intNewLine+4); C = C+1; } //test.innerHTML = txtReturn; return txtReturn ; } function restoreLink(cellId) { var tId =
document.getElementById(cellId); var txt ; txt = pretextToken + tId.innerHTML; //Add the pretextToken :- JAGaf82656 var Z=0; var
txtHolder = ""; for (A=0 ; A < C ; A++) { txtHolder = "" ; Z= txt.indexOf(txtHolder); txt = txt.substring(0,Z) + Tokens[A] +
txt.substring(Z+txtHolder.length); txtHolder = "" ; Z= txt.indexOf(txtHolder); txt = txt.substring(0,Z) + "" + txt.substring(Z+txtHolder.length);
tId.innerHTML = txt; } function formatTableCell(cellId) { var tId = document.getElementById(cellId); if (tId.offsetWidth <= cellWidth ) {
return ; } var data = tId.innerHTML ; data = createTokens(data); tId.innerHTML = data; var test = new Array() ; //Put some delimiter
before the < var Z=0; while (true) { Z = data.indexOf("<"); data = data.substring(0,Z) + strToken + data.substring(Z); //alert (Z); if (Z==--1)
{ //alert ("Final -----<n" + data); break ; } Z= Z+strTokenLength; } while (true) { Z = data.indexOf(">"); data = data.substring(0,Z+1) +
strToken + data.substring(Z+1); //alert (Z); if (Z==--1) { //alert ("Final -----<n" + data); break ; } Z= Z+strTokenLength; } test =
data.split(strToken); var tmpArray ; var tmp = "" ; var tmpSub = "" ; var tmp1; var tmp2; var lng,lng1 ; var z = "" ; for (var D = 0; D <
test.length ; D ++ ) { tmp = test[D]; var startTag = tmp.substring(0,2); // execute the following text split only if this is not a anchor tag. if
(startTag != "<" + tmpArray.length; S++) { tmpSub = tmpArray[S]; if (tmpSub.length > 40) //The post column of the table can accommodate
roughly 40 charecters in one line. { tId.innerHTML = tmpSub ; tmpSub = formatText(cellId,tmpSub); tmpArray[S] = tmpSub ; } } tmpSub =
""; for (S=0; S < tmpArray.length; S++) { tmpSub = tmpSub + tmpArray[S] + " "; } test[D] = tmpSub; } //added this condition as
tags were getting added in between URL's, submitted as question or answer text } for (D = 0; D < test.length ; D ++ ) { z = z + test[D] + " "
; } tId.innerHTML = z ; restoreLink(cellId); } function formatText(cellId,data) { var returnTxt = "" ; var tId =
document.getElementById(cellId); var midVal =0; var first,second ; first = 0; second = data.length; while (true) { midVal = Math.ceil((first +

```

```
second) /2) ; tldId.innerHTML = data.substring(0,midVal) ; if (tldId.offsetWidth > cellWidth + 25 ) //Added a tolerance of 25 pixels :-  
JAGaf82656 { second = midVal ; } else { first = midVal ; } if ((second-first) < 2) { returnTxt = returnTxt + data.substring(0,midVal) ; data =  
data.substring((midVal)); if (data.length>5) { returnTxt = returnTxt + "  
" ; } tldId.innerHTML = data ; if (tldId.offsetWidth < (cellWidth +2) ){ break ; } first = 0; second = data.length ; } } return returnTxt + data ; }  
function doFormating() { var tldId = document.getElementById("tldIdNameQA"); if (tldId.offsetWidth > 0) { formatPage() ; } else { //alert ("&");  
window.setTimeout("doFormating()",100); } } doFormating() ;
```

[Start New Thread>>](#)

[Notify Me>>](#)

[Reply>>](#)

 [Printable version](#)

[Privacy statement](#)

[Using this site means you accept its terms](#)

© 2008 Hewlett-Packard Development Company, L.P.